

**Draft Standards for Multiple-family Zoned Properties: Proposed Amendments**  
Revised for May 6, 2013 Meeting

1. **Amendment to Development Standards (Table 10.22-1) and addition of a new Section in Chapter 10.44 for Multi-Family Parcels (R-2-2.5 and R-3) Which Provide Less than the Maximum Density Allowed by the Applicable Zoning District.** For all of the amendments below, include language that indicates that Accessory Dwelling Units shall count toward the “maximum number of dwelling units allowed on the project site.”
  - A. Parcels under 3,000 sq.ft in the R-2.2.5 and R-3 Zoning Districts:  
Exempt from Zoning Amendment
  - B. Parcels with one unit between 3,000 and < 3,500 sq.ft. in the R-2.2.5 and R-3 Zoning Districts:
    - FAR limited to 0.50
    - Building Coverage limited to 40% (the adjusted building coverage)
    - Impervious Surface limited to 75% (the adjusted impervious surface)
    - CUP available if the applicant can demonstrate that two units are not feasible (i.e., parking, geologic, topographic, etc., constraints) at the Planning Commission’s discretion to allow for a single-family dwelling which would be allowed the standard development regulations for the Zoning District.
  - C. Parcels with one unit between 3,500 and < 4,500 sq.ft in the R-2.2.5 and R-3 Zoning Districts:
    - FAR limited to 0.495-0.475 (adjusted within the category to provide a smooth transition)
    - Building Coverage limited 39.5%-37.5% (adjusted within the category to provide a smooth transition)
    - Impervious Surface to 73.5%-72% (adjusted within the category to provide a smooth transition)
    - CUP available if the applicant can demonstrate that two units are not feasible (i.e., parking, geologic, topographic, etc., constraints) at the Planning Commission’s discretion to allow for a single-family dwelling which would be allowed the standard development regulations for the Zoning District.
  - D. Parcels with one unit between 4,500 and < 5,000 sq.ft.:
    - FAR limited to 0.47-0.46 (adjusted)
    - Building Coverage limited to 37-35% (R-1-6 Standard)
    - Impervious Surface limited to 71%-67.5% (R-1-6 standard)
    - CUP available if the applicant can demonstrate that two or more units is not feasible (i.e., parking, geologic, topographic, etc., constraints) at the Planning Commission’s discretion to allow for a single-family dwelling which would be allowed the standard development regulations for the Zoning District.

E. Parcels with one unit in the R-2-2.5 Zoning District:

- i. Parcel Size 5,000 to < 9,000 sq.ft. limit:
  - FAR to 0.46 to 0.45 (existing R-1-6 standard, adjusted within the category to provide a smooth transition)
  - Building Coverage to 36%-35% (R-1-6 standard, adjusted within the category to provide a smooth transition)
  - Impervious Surface to 69%-67.5% (R-1-6 standard, adjusted within the category to provide a smooth transition)
  - CUP available if the applicant can demonstrate that two or more units is not feasible (i.e., parking, geologic, topographic, etc., constraints) at the Planning Commission's discretion to allow for a single-family dwelling which would be allowed the standard development regulations for the Zoning District.
- ii. Parcel Size 9,000 sq.ft. & greater limit:
  - FAR to 0.447 - 0.43 (reaches the R-1-8 standard, adjusted within the category to provide a smooth transition)
  - Building Coverage to 34.9%-34% (reaches the R-1-8 standard, adjusted within the category to provide a smooth transition)
  - Impervious Surface to 67%-65% (reaches the R-1-8 standard, adjusted within the category to provide a smooth transition)
  - CUP available if the applicant can demonstrate that two or more units is not feasible (i.e., parking, geologic, topographic, etc., constraints) at the Planning Commission's discretion to allow for a single-family dwelling which would be allowed the standard development regulations for the Zoning District.

F. Parcels with one unit in the R-3 Zoning District:

- i. Parcel Size 5,000 to < 7,000 sq.ft. limit:
  - FAR to 0.46 to 0.45 (reaches the R-1-6 standard, adjusted within the category to provide a smooth transition)
  - Building Coverage to 36%-35% (reaches the R-1-6 standard, adjusted within the category to provide a smooth transition)
  - Impervious Surface to 69%-67.5% (reaches the R-1-6 standard, adjusted within the category to provide a smooth transition)
  - CUP available if the applicant can demonstrate that two or more units is not feasible (i.e., parking, geologic, topographic, etc., constraints) at the Planning Commission's discretion to allow for a single-family dwelling which would be allowed the standard development regulations for the Zoning District.
- ii. 7,000 sq.ft. & greater limit:
  - FAR to 0.447 - 0.43 (reaches the R-1-8 standard, adjusted within the category to provide a smooth transition)
  - Building Coverage to 34.9%-34% (reaches the R-1-8 standard, adjusted within the category to provide a smooth transition)
  - Impervious Surface to 67%-65% (reaches the R-1-8 standard, adjusted within the category to provide a smooth transition)

- CUP available if the applicant can demonstrate that two or more units is not feasible (i.e., parking, geologic, topographic, etc., constraints) at the Planning Commission’s discretion to allow for a single-family dwelling which would be allowed the standard development regulations for the Zoning District.

**Summary of Amendments:**

<b>R-2-2.5 Zoning District</b>			
<b>Parcel Size</b>	<b>Maximum Floor Area Ratio</b>	<b>Maximum Building Coverage Percentage</b>	<b>Maximum Impervious Surface</b>
Under 3,000 square feet	0.65 (no change-exempt)	50% (no change-exempt)	75% (no change-exempt)
3,000 and < 3,500 square feet	0.50	40%	75%
3,500 and < 4,500 square feet	0.495-0.475	39.5%-37.5%	73.5%-72%
4,500 to < 9,000	0.47-0.46	37-35%	71%-67.5%
9,000 square feet +	0.447 - 0.43	34.9%-34%	67%-65%

<b>R-3 Zoning District</b>			
<b>Parcel Size</b>	<b>Maximum Floor Area Ratio</b>	<b>Maximum Building Coverage Percentage</b>	<b>Maximum Impervious Surface</b>
Under 3,000 square feet	0.8 (no change-exempt)	50% (no change-exempt)	75% (no change-exempt)
3,000 and < 3,500 square feet	0.50	40%	75%
3,500 and < 4,500 square feet	0.495-0.475	39.5%-37.5%	73.5%-72%
4,500 to < 7,000	0.47-0.46	37-35%	71%-67.5%
7,000 square feet +	0.447 - 0.43	34.9%-34%	67%-65%

**2. Amendment to Design Review Chapter to Strengthen Existing Findings (add Findings to 10.54.050.D):**

- A. “The project demonstrates one of the following: the following: (a) The feasibility to construct the maximum number allowed on the project site in the future by illustrating their possible location as well as required on-site parking and access; or (b) Why the maximum number of units allowed is not practical for the project site. [This finding is applicable only to projects in the R-2, R-3, and PR residential zoning districts which result in a project site developed at less than the maximum density allowed on the respective site. For the purposes of the this finding, Accessory Dwelling Units shall count toward the “maximum number of dwelling units allowed on the project site]
- B. “The project has been designed to ensure the on-site structures do not crowd or overwhelm neighboring properties or loom over the street.”

**3. Amendment to Design Review Chapter to Add Submittal Requirement for Schematic Design (add requirement to Section 10.54.060):**

- A. A schematic design that demonstrates the feasibility to construct the maximum number of dwelling units allowed on the project site by illustrating their possible location on the parcel as well as required on-site parking and access. The schematic design may help to illustrate why the maximum number of units the site cannot be practically accommodated in the future. [This submittal is applicable only to Administrative and Planning Commission Design Review Permit projects in the R-2, R-3, and PR residential zoning districts which result in a project site developed at less than the maximum density allowed on the respective site. For the purposes of this Section 10.54.060.L Accessory Dwelling Units shall count towards fulfilling the density requirement.]

**4. Amendments to Various Zoning Ordinance Chapters to Provide Incentives to Provide Multiple Units:**

- A. When a project proposes the maximum number of units allowed for a parcel in the R-2, R-3, or PR residential zoning districts, the project shall be exempt from Heightened Design Review [add language to Section 10.54.050.E]; include language that indicates that Accessory Dwelling Units shall count toward the “maximum number of dwelling units allowed on the project site.”
- B. When a project proposes the maximum number of units allowed for a parcel in the R-2, R-3, or PR residential zoning districts the normal 30-day application completeness period will be shortened and multiple unit projects will be given priority, moving to the top of the submittal stack. [add language to Section 10.50.060]; include language that indicates that Accessory Dwelling Units shall count toward the “maximum number of dwelling units allowed on the project site.”
- C. When a project proposes the maximum number of units allowed for a parcel in the R-2, R-3, or PR residential zoning districts **Plan Check will be expedited** without an additional fee [amend Building Division fee schedule]; include language that indicates that Accessory Dwelling Units shall count toward the “maximum number of dwelling units allowed on the project site.”
- D. Parking will be in accordance with a new parking standard adopted specifically for projects which propose the maximum number of units allowed for parcels in the R-2, R-3, or PR residential zoning districts [revisions to Table 10.40-1]; include language that indicates that Accessory Dwelling Units shall count toward the “maximum number of dwelling units allowed on the project site”:

**Comment [LS1]:** This would result in a financial subsidy by the City. Plans are not checked in-house, but sent to an outside service. Staff does not support this.

No. of Units	Size of Unit	Current Parking Standard	New Parking Standard
1	All	2 spaces	No change. 2 spaces, both must be on-site.
2	700 s.f. of less	4 spaces	3 spaces (2 for first unit and 1 space per additional unit). Parking can be on site, or off site if street parking is available nearby and applicant applies for CUP and demonstrates that parking is available on the street
	>700-1,200 s.f.	4 spaces	3 spaces (2 for first unit and 1 space per additional unit). Parking must be on-site.
	>1,200 s.f.	4 spaces	4 spaces (2 per unit). Both must be on-site.
3	All	2 per unit for 2 bedroom+ 1.5 for 1 bedroom and less	5 spaces (1.5 spaces per unit)

Additional Parking Suggestions:

- E. Tandem parking will be a permitted use without a CUP for projects which propose the maximum number of units allowed for parcels in the R-2, R-3, or PR residential zoning districts (revise Section 10.40.120.B.1); include language that indicates that Accessory Dwelling Units shall count toward the “maximum number of dwelling units allowed on the project site.”
- F. Parking serving additional units beyond the parking required for a single unit will not be counted as a building coverage or impervious surface: “The minimum area for parking and circulation required by Section 10.40.110 and 10.40.120 for additional units beyond the parking required for a single unit shall not be counted as building coverage or impervious surface” (add to Section 10.40.50.B and C).

**5. Amendment to Design Review Chapter—Guiding Principles of Design—to Provide Guidelines for Preferred Sizes for Various Unit Types (Amend Section 10.54.030 to add language about preferred unit sizes):**

- A. Efficiency Units - Studios (As defined by existing State standards) 390-500 sq.ft.
- B. Small Dwelling Unit – 1 Bedroom 501-800 sq.ft.
- C. Small Dwelling Unit – 2 Bedrooms 801-1,200 sq.ft.
- D. Standard size Unit – 3 or more Bedrooms 1,200-2,700 sq.ft.

**6. Other Suggestions:**

- A. Minor Exception After Zoning Amendment is Adopted (add to new Section in 10.44 for required findings; add a new trigger to 10.54 for Planning Commission Design Review Permit)

**Maximum Floor Area Exception for Existing Single Family Residences in R-2-2.5 and R-3 Districts**

1. A one-time 200 square foot maximum Floor Area exception to expand an existing single-family residence in R-2-.2.5 and R-3 Zoning Districts, not to exceed the maximum Floor Area Ratio allowed in the respective Zoning District, may be allowed subject to the Planning Commission finding that the subject dwelling and/or improvements:
  - a. Were built prior to the effective date of this Section;
  - b. Are functionally and aesthetically compatible with the existing improvements and the natural elements in the surrounding area;
  - c. Are of a scale, intensity, and design that integrates with the existing character of the surrounding neighborhood; and
  - d. Employ mass-reducing techniques such that the additional square footage over the maximum Floor Area is reasonably mitigated and does not result in overbuilding of the lot.

- B. Review Zoning Amendment Annually for First Three Years

Annually, for three years following the adoption of the Zoning Amendment, the Planning Commission shall hold a public hearing to learn what is working and what needs fine tuning.

**Comment [LS2]:** The Planning Commission may review ordinance requirements at any time and including a provision such as this Staff believes is inappropriate.